

Table of Contents

Preface

I. Introduction to Oceanography

The Ocean zones

Epipelagic, photic, euphotic

Mesopelagic, twilight zone

Carbon

Oxygen

Nitrogen

Climate change

Bathypelagic, bathyal zone, midnight zone

Abyssopelagic, abyssal zone

Hadal

Marine Carbon Cycle

Marine primary production

Water stratification, Column stratification

DIC - dissolved inorganic carbon

PIC - particulate inorganic carbon

POC, POM - particulate organic carbon or matter

DOC, DOM - dissolved organic carbon or matter

Solubility pump

Alkalinity

Carbonate pump

Biological pump

Lability of Dom and DOC

Labile DOM

Semi-labile DOM

Refractory DOM

Marine Nitrogen Cycle

Nitrogen fixation

Assimilation

Ammonification

Nitrification

Denitrification

Anammox

DON - dissolved organic nitrogen

PON - particulate organic nitrogen

DIN - dissolved inorganic nitrogen

TDN - total dissolved nitrogen

Figures of the Marine Nitrogen Cycle

Geographical Ocean Distribution of Nitrogen

Diazotrophs

Oxygen Minimal Zones

Marine Phosphorous Cycle

II. Phytoplankton – Microalgae

Coccolithophores

- Structure of coccolithopores
- Autotrophy, heterotrophy and mixotrophy
- Distribution of coccolithopores
- What Species is Most Prevalent?

Diatoms

- Sinking speed
- Diatom Distribution
- Effect of Ocean Acidification on Diatoms

Metagenomics

Gyres

- How Does a gyre form?
- Types of gyres
- Movement of gyres
- Garbage patches
- Horse Latitudes
- Oligotrophic Gyres, Ocean Deserts, HNLCs
- North Pacific Subtropical Gyre
- North Atlantic gyre
- Where are the ocean deserts? LNLCs

Natural blooms: where and why they occur

- World-wide distribution of Coccolithophore Blooms
- What Causes Coccolithophore Blooms?
 - High light
 - Wind
 - Low silicate
 - Phosphate more limiting than nitrate
 - Low dissolved carbon dioxide
 - High carbonate saturation
 - Grazers
 - Upwellings
 - Ekman transport
 - Coccolithophore Blooms and Dimethyl sulfide
 - The Great Calcite Belt (GCB)
- Harmful Algae Blooms (HABs)
 - What organisms cause toxic blooms?

Nutrients Required for Growth

- Silica
- Iron

Effect of Ocean Acidification on Phytoplankton

- How can genetics help?

The Role of Viruses

The Distribution of Coccolithopores

- Pacific
- Diversity (species richness) of Coccolithophores
- Atlantic
- Are Phytoplankton Decreasing?
- Oxygen is also involved
- Methane
 - Ocean Methane and the "Methane Paradox"
- Nitrous oxide
 - Greenhouse gas trends
 - Ozone layer depletion
- Pelagic Mesocosms

III. Geoengineering with Microalgae

- Redfield ratio
- Liebig law of the minimum
- Ocean Nourishment/Fertilization
 - Iron Fertilization & the Iron Hypothesis
 - IRONEX I
 - EisenEx
 - Planktos
 - LOHAFEX
 - Haida Gwaii project
 - Restrictions
 - London Dumping Convention
 - London Convention/London Protocol
 - Convention on Biological Diversity
 - Mesoscale Experiments
 - Methods
 - Ship based deployment
 - Atmospheric sourcing
 - Volcanic ash
 - Limitations
 - Dimethyl sulfide and clouds
 - The CLAW hypothesis
 - Financial opportunities
 - Sequestration definitions
 - Already enough iron?
 - Debate
 - Precautionary principle
 - 20th-century phytoplankton decline
 - Harmful Algal blooms
 - Ecosystem effects
 - Ocean acidification
 - Non-research projects

Phosphorus Nourishment

Nitrogen Nourishment

The Debate

Precautionary principle

20th-century phytoplankton decline?

Cloud formation

Harmful Algal bloom

Ecosystem effects

Efficiency

Deep Ocean acidification

Impact on fisheries

Non-research projects

International Law

Law of the sea

Outright opposition

Assessment by GESAMP (2019)

GESAMP (2019) is an advisory body

Why Remove CO₂?

Marine geoengineering

Evaluation of Ocean Fertilization

Iron Fertilization

Macro-nutrients: Nitrogen and Phosphorus

After GESAMP

Biogenic Iron

KIFES

Is the use of trees to sequester CO₂ doomed?

Aeolian Iron

Iron Chemistry

Global Distribution of Iron

Volcanic Ash

Ice cores

Aeolian Iron in Modern times

Southern Ocean

Artificial vs Natural Iron

World Maps of Nutrients

IV. Phytoplankton – Macroalgae

Macroalgae Aquaculture and Carbon Sequestration

Approach/rationale

Underlying principles

Evidence of concept from the natural world

Direct/indirect sequestration

IMTA (Integrated Multi-Trophic Aquaculture

Duration of deployment

Evidence of feasibility

Appraisal of the potential impacts
Natural Macroalgae as a carbon sink
Global carbon sequestration by macroalgae
Conclusion Re: Suitability of the Use of Macroalgae as a NET
for the Comings Foundation.

Red Algae

Why Red Algae?

What are Red Algae?

Red Algae are Strong Carbon Dioxide Absorbers

Aquaculture of Rhodophyta

V. What to Do?

See **Priority Projects**