

References

- Aldridge, J., van der Molen, J., & Forster, R. (2012). Wider ecological implications of macroalgae cultivation. The Crown Estate, Marine Estate Research Report.
- Andersen, M. (2017). Opportunities and Risks of Seaweed Biofuels in Aviation. Bellona.org.
- Andreae, M. O.: Ocean-atmosphere interactions in the global biogeochemical sulfur cycle, *Marine Chem.*, 30:1–29, 1990.
- Antoine, D., et al (2005) Bridging ocean color observations of the 1980s and 2000s in search of long-term trends. *J. Geophys. Res.* 110:1–22.
- Arrigo, K.R. (2005) Marine microorganisms and global nutrient cycles. *Nature* 437:349–355.
- Atlantic Ocean in Recent Decades. *Science* 308:1772-1774.
- Aumont, O., and Bopp, L. (2006). Globalizing results from ocean in situ iron fertilization studies. *Global Biogeochem. Cycles* 20:GB2017.
- Azam, F. and Malfatti, F Microbial structuring of marine ecosystems. *Nature Reviews Microbiology*. 5:782–791, 2007.
- Bach LT, Boxhammer T, Larsen A, Hildebrandt N, Schulz KG, Riebesell U. 2016. Influence of plankton community structure on the sinking velocity of marine aggregates. *Glob. Biogeochem. Cycles* 30:1145–65
- Bach LT, Riebesell U, Schulz KG. 2011. Distinguishing between the effects of ocean acidification and ocean carbonation in the coccolithophore *Emiliana huxleyi*. *Limnol. Oceanogr.* 56:2040–50
- Bach, L.T. and Taucher, J. (2019) CO₂ effects on diatoms: a synthesis of more than a decade of ocean acidification experiments with natural communities. *Ocean Sci.*, 15, 1159–1175.
- Balch WM, et al. 2016. Factors regulating the Great Calcite Belt in the Southern Ocean and its biogeochemical significance. *Glob. Biogeochem. Cycles* 30:1124–44
- Balch, W.M. et al (2019) Coccolithophore distributions of the North and South Atlantic Ocean. *Deep-Sea Research Part I* 151.
- Balch, W.M. The Ecology, Biogeochemistry, and Optical Properties of Coccolithophores. *Annu. Rev. Mar. Sci.* 2018: 10:71–98
- Bange, H.W. et al (1996) Nitrous oxide in coastal waters. *Global Biogeochemical Cycles* 10:197-207
- Barrón, C. & Duarte, C. M. (2015) Dissolved organic carbon pools and export from the coastal ocean. *Glob. Biogeochem. Cycles* 29:1725–1738.
- Barron, et al (2014) Dissolved organic carbon fluxes by seagrass meadows and macroalgal beds. *Front. Mar. Sci.* 1:42.
- Bauer, J. E. & Druffel, E. R. (1998) Ocean margins as a significant source of organic matter to the deep open ocean. *Nature* 392:482–485
- Behrenfeld, M. J. et al. (2006) Climate-driven trends in contemporary ocean productivity. *Nature* 444:752–755 (2006).
- Behrenfeld, M. J. et al.(2001) Biospheric primary production during an ENSO transition. *Science* 291:2594–2597.

- Behrenfeld, M.J., Falkowski, P., 1997. Photosynthetic rates derived from satellite-based chlorophyll concentration. *Limnology and Oceanography* 42:1–20.
- Biello, D. (2012). Controversial Spewed Iron Experiment Succeeds as Carbon Sink. *Scientific American*
- Bopp, L., et al (2013). Multiple stressors of ocean ecosystems in the 21st century: Projections with CMIP5 models. *Biogeosciences*, 10:6225–6245.
- Boyce, D. G. et al (2010) Global phytoplankton decline over the past century. *Nature* 466:591–596.
- Boyce, D. G. et al (2011) reply. *Nature* 472: E8–E9.
- Boyce, D. G. et al (2014). "Estimating global chlorophyll changes over the past century". *Progress in Oceanography*. 122:163–73
- Boyd, P. W. (2008a). Introduction and synthesis. *Marine Ecology Progress Series*, 364:213–218.
- Boyd, P. W. (2008b). Ranking geo-engineering schemes. *Nature Geoscience*, 1:722–724.
- Boyd, P. W. (2009). Geopolitics of geoengineering. *Nature Geoscience*, 2:812.
- Boyd, P. W. (2013). Ocean Fertilization for Sequestration of Carbon Dioxide from the Atmosphere BT – Geoengineering Responses to Climate Change: Selected Entries from the Encyclopedia of Sustainability Science and Technology. In T. Lenton & N. Vaughan (Eds.) (pp. 53–72). New York, NY: Springer New York.
- Boyd, P. W. (2016). Development of geopolitically relevant ranking criteria for geoengineering methods. *Earth's Future*, 4:523–531.
- Boyd, P. W., Jickells, T., Law, C. S., Blain, S., Boyle, E. A, Buesseler, K. O., ... Watson, A J. (2007). Mesoscale iron enrichment experiments 1993-2005: synthesis and future directions. *Science* (New York, N.Y.), 315:612–617.
- Boyd, P.W. et al. (2000). A mesoscale phytoplankton bloom in the polar Southern Ocean stimulated by iron fertilization. *Nature* 407:695-702.
- Boyd, P.W. et al. (2007). Mesoscale Iron Enrichment Experiments 1993-2005: Synthesis and Future Directions. *Science*. 315:612–7.
- Brahic, C. (2007). Company plans 'eco' iron dump off Galapagos. *New Scientist* 22: June 2007.
- Bristow, L.A. et al (2017) Nutrients that limit growth in the ocean. *Current Biology* 27:R474-R478
- Brown, J. E. (2010). Whale poop pumps up ocean health. *Science Daily* Oct 12, 2010.
- Brussaard CPD. 2004. Viral control of phytoplankton populations—a review. *J. Eukaryot. Microbiol.* 51:125–38
- Buck, B. H. et al (2018). State of the Art and Challenges for Offshore Integrated Multi-Trophic Aquaculture (IMTA). *Frontiers in Marine Science*. 15 May
- Buck, B. H., Krause, G., & Rosenthal, H. (2004). Extensive open ocean aquaculture development within wind farms in Germany: the prospect of offshore co-management and legal constraints. *Ocean & Coastal Management*, 47:95–122.
- Cao, L. and Caldeira, K. (2010). Can ocean iron fertilization mitigate ocean acidification? *Climatic Change*. 99:303–311.

- Capone, D. G. (2000). The marine microbial nitrogen cycle, p. 455–494. In *Microbial Ecology of the Oceans*
- Carpenter, E. J., and D. G. Capone (ed.). (1983). Nitrogen in the marine environment. Academic Press, New York, N.Y.
- Charlson, R. J. et al (1987). Oceanic phytoplankton, atmospheric sulphur, cloud albedo and climate. *Nature*. 326:655–661.
- Charlson, R. J., et al.(1987) Oceanic phytoplankton, atmospheric sulfur, cloud albedo and climate, *Nature*, 326:655–661.
- Chikaraishi Y. (2014) in *Treatise on Geochemistry 5: Organic Geochemistry* (eds Birrer, B. et al.) Ch. 12.5:95–123 (Elsevier)
- Chimileski, S. and Koler, R.: *Life at the Edge of Sight: A Photographic Exploration of the Microbial World*. The Belknap Press of Harvard Univ. Press, 2017
- Chisholm, S. W., & Morel, F. M. (1991). What Controls Phytoplankton Production in Nutrient-Rich Areas of the Open Sea? *Limnology and Oceanography*, 36(8).
- Chow, C.H. et al (2016) Anomalous wind triggered the largest phytoplankton bloom the North Pacific Subtropical Gyre. *Nature Scientific reports*. 9:15550.
- Chung, I. K. et al (2011). Using marine macroalgae for carbon sequestration: A critical appraisal. *Journal of Applied Phycology*, 23:877–886.
- Chung, I. K. et al (2013). Adaptation against global warming : Korean Project Overview. *ICES Journal of Marine Science*, 68:66–74.
- Chung, I. K., Sondak, C. F. A., & Beardall, J. (2017). The future of seaweed aquaculture in a rapidly changing world. *European Journal of Phycology*, 52:495–505.
- Cicerone, R. and Oremland, R.S. (1988) Biogeochemical aspects of atmospheric methane. *Global Biogeochemical Cycles* 2:299-327.
- Clarkson, M.O. et al (2015) Ocean acidification and the Permo-Triassic mass extinction *Science* 348:229-323.
- Coale, K. H. et al. (1996). A massive phytoplankton bloom induced by an ecosystem-scale iron fertilization experiment in the equatorial Pacific Ocean. *Nature* 383:95–501.
- Coale, K. H. et al. (2002). Sofex Group (2002). SOFeX: Southern Ocean Iron Experiments. Overview and Experimental Design. AGU Fall Meeting Abstracts. 2002:OS22D-01.
- Coccolithophore. Wikipedia. 2020.
- Codispoti, L.A., Packard, T.T. (1980) Denitrification rates in the eastern tropical South Pacific. *Journal of Marine Research* 38:453–477.
- Conkright, M.E et al (1998). World Ocean Database CD-ROM Data Set Documentation. National Oceanographic Data Center, Silver Spring, MD.
- Cottier-Cook, E. J., et al (2016). Safeguarding the future of the global seaweed aquaculture industry. United Nations University (INWEH) and Scottish Association for Marine Science Policy Brief.
- Courtland, R. (2008). Planktos dead in the water. *Nature News Online*, 15 February 2008.

- Cros L, Estrada M. (2013). Holo-heterococcolithophore life cycles: ecological implications. *Mar. Ecol. Prog. Ser.* 492:57-68
- Cros L, et al (2000). New examples of holococcolith–heterococcolith combination coccospheres and their implications for coccolithophorid biology. *Mar. Micropaleontol.* 39:1–34.
- Crutzen, P. J et al (2008). N₂O release from agro-biofuel production negates global warming reduction by replacing fossil fuels. *Atmospheric Chemistry and Physics.* 8:389–395.
- Cullen, J. C. (1991). Hypotheses to explain high-nutrient conditions in the open sea. *Limnology and Oceanography,* 36:1578–1599.
- Curry, R and Mauritzen, C. (2005) Dilution of the Northern North Atlantic Ocean in Recent Decades. *Science* 308:1772-1774.
- Daniels CJ, Poulton AJ, Young JR, Esposito M, Humphreys MP, et al. 2016. Species-specific calcite production reveals *Coccolithus pelagicus* as the key calcifier in the Arctic Ocean. *Mar. Ecol. Prog. Ser.* 555:29–47
- Daniels CJ, Sheward RM, Poulton AJ. 2014. Biogeochemical implications of comparative growth rates of *Emiliana huxleyi* and *Coccolithus* species. *Biogeosciences* 11:6915–25
- David J. (1989). Production of biologically refractory dissolved organic carbon by natural seawater microbial populations. *Deep Sea Research Part A. Oceanographic Research Papers.* 36: 497–507.
- de Bettignies, T. et al. (2015). Phenological decoupling of mortality from wave forcing in kelp beds. *Ecology* 96:850–861
- Delille B, et al. (2005) Response of primary production and calcification to changes of pCO₂ during experimental blooms of the coccolithophorid *Emiliana huxleyi*. *Global Biogeochem Cycles* 19:GB2023.
- Deutsch, C. et al (2007) Spatial coupling of nitrogen inputs and losses in the ocean. *Nature* 445, 163–167.
- Deutsch, C. et al (2011) Climate-Forced Variability of Ocean Hypoxia. *Science* 333:336-339.
- Deutsch, C., et al. (2007). Spatial coupling of nitrogen inputs and losses in the ocean. *Nature,* 445(7124), 163–167.
- Dierssen, H. M., et al (2009) Potential export of unattached benthic macroalgae to the deep sea through wind-driven Langmuir circulation. *Geophys. Res. Lett.* 36:L04602
- Ditchfield A (2012) Identification of putative methylotrophic and hydrogenotrophic methanogens within sedimenting material and copepod fecal pellets in Aquatic Microbial Ecology 67:151–160, 2012
- Dixon, J. L. (2008). Macro and micro nutrient limitation of microbial productivity in oligotrophic subtropical Atlantic waters. *Environmental Chemistry,* 5:135–142.
- Doney, S. C. (2006) Plankton in a warmer world. *Nature* 444:695–696.
- Droop, M., (2003) In defense of the Cell Quota model of micro-algal growth, *Journal of plankton research* 25:103–107.
- Droop, M., (1973) Some thoughts on nutrient limitation in algae, *Journal of Phycology* 9:264–272.
- Droop, M., (1968) Vitamin B12 and marine ecology. IV. the kinetics of uptake, growth and inhibition in *Monochrysis lutheri*. *J. Mar. Biol. Assoc. UK* 48:689–733.

- Duarte, C. M. (2014). Global change and the future ocean: a grand challenge for marine sciences. *Front. Mar. Sci.* 1:63.
- Duarte, C. M. & Cebrián, J. (1996) The fate of marine autotrophic production. *Limnol. Oceanogr.* 41:1758–1766.
- Duarte, C. M. & Cebrián, J. (1996) The fate of marine autotrophic production. *Limnol. Oceanogr.* 41:1758–1766.
- Duarte, C. M. et al (2017). Can Seaweed Farming Play a Role in Climate Change Mitigation and Adaptation? *Frontiers in Marine Science*, 4:100.
- Ducklow, H. W., D. K. Steinberg, and K. O. Buesseler. (2001). Upper ocean carbon export and the biological pump. *Oceanography* 14:50–58.
- Dugdale, R. C.; Wilkerson, F. P. (1998). Silicate regulation of new production in the equatorial Pacific upwelling. *Nature*. 391: 270–273.
- Dugdale, R. et al (1977) Denitrification and hydrogen sulfide in Peru upwelling region during Deep-Sea Research 24:601–608.
- Duggen, S. et al (2007). Subduction zone volcanic ash can fertilize the surface ocean and stimulate phytoplankton growth: Evidence from biogeochemical experiments and satellite data *Geophysical Research Letters*. 34:
- Durak GM, et al. (2016). A role for diatom-like silicon transporters in calcifying coccolithophores. *Nat. Commun.* 7:10543.
- E. Kebreab, K. Clark, C. Wagner-Riddle, and J. France, (2006) Methane and nitrous oxide emissions from Canadian animal agriculture: a review. *Canadian Journal of Animal Science*, vol. 86: no. 2, pp. 135–158, 2006.
- Economist (2017).The mesopelagic: Cinderella of the oceans.
- Edwards, M. et al (2001) Long-term and regional variability of phytoplankton biomass in the Northeast Atlantic (1960–1995). *ICES J. Mar. Sci.* 58:39–49.
- Egge J.K, Heimdal B.R (1994) Blooms of phytoplankton including *Emiliana huxleyi* (Haptophyta). Effects of nutrient supply in different N:P ratios. *Sarsia* 79:333-348
- Emerson, D. (2019) Biogenic Iron Dust: A Novel Approach to Ocean Iron Fertilization as a Means of Large Scale Removal of Carbon Dioxide From the Atmosphere. *Front. Mar. Sci.*, 07 February.
- Emerson, S. (2008). *Chemical Oceanography and the Marine Carbon Cycle*. United Kingdom: Cambridge University Press.
- Hartman, A. et al (2012) Iron transport and storage in the coccolithophore: *Emiliana huxleyi*. *Metallomics* 4:1160–66
- Engel A, et al. (2005) Testing the direct effect of CO₂ concentration on a bloom of the coccolithophorids *Emiliana huxleyi* in mesocosm experiments. *Limnol Oceanogr* 50:493–507.
- Fabry, V. J. & Deuser, W. G. (1991) Aragonite and magnesian calcite fluxes to the deep Sargasso Sea. *Deep Sea Res.* 38:713–728.
- Fabry, V.J. (2008) Marine Calcifiers in a High-CO₂ Ocean. *Science* 320:1020-1022.
- Falkowski, P. & Wilson, C. (1992) Phytoplankton productivity in the North Pacific Ocean since 1900 and implications for absorption of anthropogenic CO₂. *Nature* 358:741–743.

- Falkowski, P. et al. (2000) The Global Carbon Cycle: A Test of Our Knowledge of Earth as a System. *Science*. 290:291–296.
- Falkowski, P. G. (2000). Rationalizing elemental ratios in unicellular algae. *Journal of Phycology*. 36:3–6.
- Falkowski, P. G. et al (1998) Biogeochemical controls and feedbacks on ocean primary production. *Science* 281, 200–206.
- Falkowski, P. The Power of Plankton. *Nature* 483:517-520, 2012.
- Falkowski, P.G. (1997) Evolution of the nitrogen cycle and its influence on the biological sequestration of CO₂ in the ocean. *Nature* 387:272–275.
- Feng Y, et al. (2008) Interactive effects of increased pCO₂, temperature and irradiance on the marine coccolithophore *Emiliania huxleyi* (Prymnesiophyceae). *Eur J Phycol* 43:87–98.
- Field, C. B., et al (1998), Primary production of the biosphere: Integrating terrestrial and oceanic components, *Science*, 281:237–240.
- Filbee-Dexter, K. & Scheibling, R. E. (2014) Detrital kelp subsidy supports high reproductive condition of deep-living sea urchins in a sedimentary basin. *Aquat. Biol.* 23:71–86.
- Flannery, T. F. (2017). *Sunlight and seaweed : an argument for how to feed, power and clean up the world*. Text Publishing, Australia, 192 pp.
- Follett, C; Repeta, D; Rothman, D; Xu, L; Santinelli, C (2014). Hidden cycle of dissolved organic carbon in the deep ocean. *PNAS* 111:16706-16711.
- Fontela, M. et al (2016) Dissolved organic carbon in the North Atlantic meridional overturning circulation. *Nature*. 6:26931, 2016.
- Fountain, H. (2012). A Rogue Climate Experiment Outrages Scientists. *The New York Times*.
- Fraser, C. I. (2016) in *Seaweed Phylogeography* (ed. Fraser C. I.) Ch. 5:131–146 (Springer).
- Fung, I. Y. et al (2000). Iron supply and demand in the upper ocean. *Global Biogeochem. Cycles*. 14:697–700.
- Galloway, T. and Lewis, C. Marine microplastics *Current Biology* 27:R431–R510.
- Ganesh S, Parris DJ, DeLong EF, Stewart FJ (2014) Metagenomic analysis of size-fractionated picoplankton in a marine oxygen minimum zone. *ISME J* 8:187–211.
- Garden, C. J. & Smith, A. M. (2015) Voyages of seaweeds: The role of macroalgae in sediment transport. *Sediment. Geol.* 318:1–9.
- Gattuso et al. (2018) Ocean Solutions to Address Climate Change and Its Effects on Marine Ecosystems. *Frontiers in Marine Science* 5:337.
- Gentry, R.R. et al. (2017) Mapping the global potential for marine aquaculture. *Nature Ecology & Evolution* 1:1317–1324.
- GESAMP (2019). "High level review of a wide range of proposed marine geoengineering techniques". (Boyd, P.W. and Vivian, C.M.G., eds.). (IMO/FAO/UNESCO-IOC/UNIDO/WMO/IAEA/UN/UN Environment/ UNDP/ISA Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection).Rep. Stud. GESAMP No. 98, 144 p.

- Gibbons SM, et al. (2013) Evidence for a persistent microbial seed bank throughout the global ocean. *Proc Natl Acad Sci USA* 110:4651–4655.
- Glibert, P M.; et al. (2008). Ocean urea fertilization for carbon credits poses high ecological risks. *Marine Pollution Bulletin*. 56:1049–1056.
- Glibert, P. M., Azanza, R., Burford, M., Furuya, K., Abal, E., Al-Azri, A., ... Zhu, M. (2008). Ocean urea fertilization for carbon credits poses high ecological risks. *Marine Pollution Bulletin*, 56:1049–1056.
- Glibert, P. M., Maranger, R., Sobota, D. J., & Bouwman, L. (2014). The Haber Bosch-harmful algal bloom (HB-HAB) link. *Environmental Research Letters*, 9(10).
- Glikson, A. (2018). The methane time bomb. *Energy Procedia*, 146:23–29.
- Gnanadesikan, A., & Marinov, I. (2008). Export is not enough: Nutrient cycling and carbon sequestration. *Marine Ecology Progress Series*, 364:289–294.
- Gnanadesikan, A., Sarmiento, J. L., & Slater, R. D. (2003). Effects of patchy ocean fertilization on atmospheric carbon dioxide and biological production. *Global Biogeochemical Cycles*, 17:1–17.
- Grandey, B. S.; Wang, C. (2015). Enhanced marine sulphur emissions offset global warming and impact rainfall. *Scientific Reports*. 5:13055.
- Gravalosa, J.M. et al (2008) Sea surface distribution of coccolithophores in the eastern Pacific sector of the Southern Ocean (Bellingshausen and Amundsen Seas) during the late austral summer of 2001. *Marine Micropaleontology* 69:16–25.
- Gregg WW, et al. (2002). "NOAA-NASA Coastal Zone Color Scanner reanalysis effort". *Appl Opt.* 41: 1615–28.
- Gregg, W. W. & Conkright, M. E. (2002) Decadal changes in global ocean chlorophyll. *Geophys. Res. Lett.* 29:1730–1734.
- Gregg, W. W., et al (2003) Ocean primary production and climate: global decadal changes. *Geophys. Res. Lett.* 30:1809–1813.
- Gregg, W. W., et al (2005) Recent trends in global ocean chlorophyll. *Geophys. Res. Lett.* 32:1–5.
- Gribbon, J. (1988) Any old iron? *Nature*. 331: 570.
- Hancke, K and Glud, R.N. (2004) Temperature effects on respiration and photosynthesis in three diatom-dominated benthic communities. *Aquat Microb Ecol* 37:265–281
- Hansell, D; Carlson, C (1998). Net community production of dissolved organic carbon. *Global Biogeochemical Cycles*. 12:443–453.
- Hansell, D. (2013) Recalcitrant Dissolved Organic Carbon Fractions. *Annu. Rev. Mar. Sci.* 5:421–45
- Hansell, D. A., C. A. Carlson, D. J. Repeta, and R. Schlitzer. (2009). Dissolved organic matter in the ocean. *Oceanography* 22:52–61.
- Hansell, D.A. and Feely, R.A., (2000). Atmospheric intertropical convergence impacts surface ocean carbon and nitrogen biogeochemistry in the western tropical pacific. *Geophysical Research Letters* 27:1013–1016.
- Hardison, A. K. et al. (2013) Microphytobenthos and benthic macroalgae determine sediment organic matter composition in shallow photic sediments. *Biogeosciences* 10:5571–5588.

- Harrison, D. P. (2012) A method for estimating the cost to sequester carbon dioxide by delivering iron to the ocean. *Int. J. Global Warming*. 5:231-254.
- Harrison, D. P. (2017). Global negative emissions capacity of ocean macronutrient fertilization. *Environmental Research Letters*, 12:035001
- Harrold, C. et al (1998) Organic enrichment of submarine canyon and continental shelf benthic communities by macroalgal drift imported from nearshore kelp forests. *Limnol. Oceanogr.* 43:669-678.
- Hartnett A. et al. (2012). Iron transport and storage in the coccolithophore: *Emiliana huxleyi* *Metallomics* 4:1160-1166
- Hattori, H.I. et al (2004) Spatial Variability of Living Coccolithophore Distribution in the Western Subarctic Pacific and Western Bering Sea. *Journal of Oceanography*, 60:505-515.
- Head, E. J. H. & Pepin, P.(2010) Spatial and inter-decadal variability in plankton abundance and composition in the Northwest Atlantic (1958–2006). *J. Plankton Res.* 32:1633–1648.
- Heinze C, Maier-Reimer E, Winn K. (1991). Glacial pCO₂ reduction by the world ocean: experiments with the Hamburg carbon cycle model. *Paleoceanography* 6:395–430
- Hemme R.; et al. (2010). Volcanic ash fuels anomalous plankton bloom in subarctic northeast Pacific. *Geophysical Research Letters*. 37:
- Henson, S. A. et al. (2010) Detection of anthropogenic climate change in satellite records of ocean chlorophyll and productivity. *Biogeosciences* 7:621–640.
- Hertkorn N, et al. (2006) Characterization of a major refractory component of marine dissolved organic matter. *Geochim Cosmochim Acta* 70:2990–3010.
- Hill, R. et al. (2015) Can macroalgae contribute to blue carbon? an Australian perspective. *Limnol. Oceanogr.* 60:1689–1706.
- Hobday, A. J. (2000) Abundance and dispersal of drifting kelp *Macrocystis pyrifera* rafts in the Southern California Bight. *Mar Ecol. Prog. Ser.*195:101–116.
- Holligan PM, Groom SB, Harbour DS (1993) What controls the distribution of the coccolithophore, *Emiliana huxleyi*, in the North Sea? *Fish Oceanogr* 2:175-183
- Hopkins, J e al. (2015), Phenological characteristics of global coccolithophore blooms, *Global Biogeochem. Cycles*, 29:239–253
- Hoppe CJM, Langer G, Rost B (2011) *Emiliana huxleyi* shows identical responses to elevated pCO₂ in TA and DIC manipulations. *J Exp Mar Biol Ecol* 406:54–62.
- Iglesias-Rodriguez MD, et al. (2008) Phytoplankton calcification in a high-CO₂ world. *Science* 320:336-340.
- Ivanov M.V. et al (1993) The Oceanic Global Methane Cycle. In: Oremland R.S. (eds) *Biogeochemistry of Global Change*. Springer, Boston, MA p505-520.
- Jeffrey, S. W., et al (1997) *Phytoplankton Pigments in Oceanography* Vol. 10 (UNESCO).
- Jiao N, Azam F, Sanders S. (2011) Microbial Carbon Pump and its Significance for Carbon Sequestration in the Ocean in *Microbial Carbon Pump in the Ocean*. Washington, DC: Science/AAAS pp. 43–45.

- Jiao N, Herndl GJ, Hansell DA, Benner R, Kattner G, et al. (2010). Microbial production of recalcitrant dissolved organic matter: long-term carbon storage in the global ocean. *Nat. Rev. Microbiol.* 8:593–99
- Johnson, D. L. & Richardson, P. L. (1977) On the wind-induced sinking of Sargassum. *J. Exp. Mar. Biol. Ecol.* 28:255–267
- Jones, A., Haywood, J., & Boucher, O. (2011). A comparison of the climate impacts of geoengineering by stratospheric SO₂ injection and by brightening of marine stratocumulus cloud. *Atmospheric Science Letters*, 12:176–183.
- Jones, I. and Renilson, M. (2011). Using Ocean Nourishment to increase fishing effectiveness *The Journal of Ocean Technology– One Voice for the World's Oceans Community* (6):30–37.
- Jones, I. S. F. (1996). Enhanced Carbon Dioxide Uptake by the World's Oceans. *Energy Conversion & Management.* 37:1049–1052.
- Jones, I.S.F. (2011) *Engineering Strategies for Greenhouse Gas Mitigation.* Cambridge University Press.
- Jones, I.S.F. (2014). The cost of carbon management using ocean nourishment. *International Journal of Climate Change Strategies and Management.* 6:391–400.
- Jordan, R.W and Chamberlain, A.H.L. Biodiversity among haptophyte algae *Biodiversity and Conservation* 6, 131±152 (1997)
- Kahru, M., (2009) Trends in primary production in the California Current detected with satellite data. *Geophys.Res. Lett.* 114.
- Karl, D. M. and Letelier, R. (2008). Nitrogen fixation-enhanced carbon sequestration in low nitrate, low chlorophyll seascapes. *Mar. Ecol. Prog. Ser.* 364:257–268.
- Keller, D. P., Feng, E. Y., & Oschlies, A. (2014). Potential climate engineering effectiveness and side effects during a high carbon dioxide-emission scenario. *Nature Communications*, 5:3304.
- Khatiwala, S., et al. (2009) Reconstruction of the history of anthropogenic CO₂ concentrations in the ocean. *Nature* 462:346–349.
- Kiene, R.P. and Bates, T.S. (1990) Biological removal of dimethylsulphide from seawater. *Nature* 345: 702–705.
- Kim S, Kramer RW, Hatcher PG (2003) Graphical method for analysis of ultrahigh-resolution broadband mass spectra of natural organic matter, the van Krevelen diagram. *Anal Chem* 75(20):5336–5344.
- Kingsbury, J. M. (1992) Christopher Columbus as a botanist. *Arnoldia* 52:11–28.
- Kirchman, D.L. (ed.), (2018) *Microbial ecology of the oceans.* Wiley-Liss, New York, N.Y.
- Krause-Jensen, D. and Duarte, C.M. (2016). Substantial role of macroalgae in marine carbon sequestration. *Nature Geoscience* Sept 16. Published online.
- Krause-Jensen, D. & Duarte, C. M. (2014) Expansion of vegetated coastal ecosystems in the future Arctic. *Front. Mar. Sci.* 1:77.
- Kristensen, E. et al. (1995) Aerobic and anaerobic decomposition of organic matter in marine sediment: Which is fastest? *Limnology and Oceanography.* 40 (8):1430–1437.
- Krueger-Hadfield S. A. et al. (2014) Genotyping an *Emiliania huxleyi* (Prymnesiophyceae) bloom event in the North Sea reveals evidence of asexual reproduction. *Biogeosciences* 11:5215–34

- Krumhansl, K. A. & Scheibling, R. E. (2012) Production and fate of kelp detritus. *Mar. Ecol. Prog. Ser.* 67:281–302.
- Krumhansl, K. A. & Scheibling, R. E. (2012) Production and fate of kelp detritus. *Mar. Ecol. Prog. Ser.* 67:281–302.
- Krumhansl, K. A., et al (2014) Modeling effects of climate change and phase shifts on detrital production of a kelp bed. *Ecology* 95:763–774
- Kuypers, M. et al (2003) Anaerobic ammonium oxidation by anammox bacteria in the Black Sea. *Nature* 422:608–611.
- Lam & S. Chisholm, (2002). Iron Fertilization of the Oceans: Reconciling Commercial Claims with Published Models. Unpublished paper.
- Lampitt, R. S. et al (2008). Ocean fertilization: a potential means of geoengineering? *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences.* 366 (1882): 3919–3945.
- Landsberg JH. 2002. The effects of harmful algal blooms on aquatic organisms. *Reviews in Fisheries Science* 10: 113-390.
- Langer, G and Bode, M.: CO₂ mediation of adverse effects of seawater acidification in *Calcidiscus leptoporus*. *Geochemistry Geophysics Geosystems* 12:May 2011.
- Lauderdale, J.M. (2020) Microbial feedbacks optimize ocean iron availability. *PNAS* 117:4842–4849.
- Lavery, T. J., (2010). Iron defecation by sperm whales stimulates carbon export in the Southern Ocean. *Proceedings of the Royal Society of London B: Biological Sciences.* 277: 3527–3531.
- Law, C. S. (2008). Predicting and monitoring the effects of large-scale ocean iron fertilization on marine trace gas emissions. *Marine Ecology Progress Series*, 364:283–288.
- Lawrence, M. W. (2014). Efficiency of carbon sequestration by added reactive nitrogen in ocean fertilization. *International Journal of Global Warming*, 6:15.
- Laws, E.A., Falkowski, P.G., Smith Jr., W.O., Ducklow, H., McCarthy, J.J., (2000). Temperature effects on export production in the open ocean. *Global Biogeochemical Cycles* 14:1231–1246.
- Lenhart, K., Hatton, et al (2015) Evidence for methane production by marine algae (*Emiliana huxleyi*) and its implication for the methane paradox in oxic waters. *Biogeosciences Discuss.* 12: 20323–20360.
- Lenton, T. M. and Vaughan, N. E. (2009). The radiative forcing potential of different climate geoengineering options. *Atmos. Chem. Phys.* 9:
- Lenton, T. M., Vaughan, N. E. (2009). The radiative forcing potential of different climate geoengineering options. *Atmos. Chem. Phys. Discuss.* 9:2559–2608.
- Lenton, T. M., Vaughan, N. E. (2009). The radiative forcing potential of different climate geoengineering options *Atmos. Chem. Phys. Discuss.* 9:41.
- Lewis, M. R., et al (1998) Global patterns of ocean transparency: implications for the new production of the open ocean. *J. Geophys. Res.* 93, 6847–6856.
- Liu, Y. et al. (2018) A coastal coccolithophore maintains pH homeostasis and switches carbon sources in response to ocean acidification. *Nature Communications* 9:2857.

- Longhurst, A., S. et al (1995), An estimate of global primary production in the ocean from satellite radiometer data, *J. Plankton Res.*, 17:1245–1271.
- Lopez, C.B., Dortch, Q., Jewett, E.B., Garrison, D. (2008). Scientific Assessment of Marine Harmful Algal Blooms. Interagency Working Group on Harmful Algal Blooms, Hypoxia, and Human Health of the Joint Subcommittee on Ocean Science and Technology. Washington, D.C.
- Lovett, R. (2010). African dust keeps Amazon blooming. (<https://www.nature.com/news/2010/100809/full/news.2010.396.html>).
- Macaya, E. C. et al (2016) in *Seaweed Phylogeography* (ed. Fraser C. I.) Ch. 4:97–130 (Springer)
- Mackas, D. L. (2011) Does blending of chlorophyll data bias temporal trend? *Nature* 472:E4–E5.
- Mahowald, N. M.; et al. (2005). Atmospheric global dust cycle and iron inputs to the ocean *Global Biogeochemical Cycles*. 19:GB4025.
- Mahowald, N., Kohfeld, K., Hansson, M., Balkanski, Y., Harrison, S.P., Prentice, I.C., Schulz, M., Rodhe, H., (1999). Dust sources and deposition during the last glacial maximum and current climate: a comparison of model results with paleodata from ice cores and marine sediments. *Journal of Geophysical Research* 104:895–916.
- Martin, J.H. (1990). Glacial-interglacial CO₂ Change. The Iron Hypothesis. *Paleoceanography* 5, 1.
- Martin, J.H. et al (1991) The Case for Iron. *Limnol. Oceanogr.* 36:1793-1802.
- Martin, J.H. et al.(1994). Testing the iron hypothesis in ecosystems of the equatorial Pacific Ocean. *Nature* 371:123.
- Martinez-Garcia, A. et al (2014). Iron fertilization of the subantarctic ocean during the last ice age. *Science*, 343:1347.
- Martinez, E. et al (2009) Climate-driven basin-scale decadal oscillations of oceanic phytoplankton. *Science* 326:1253–1256.
- Martiny, A. C. (2014). Concentrations and ratios of particulate organic carbon, nitrogen, and phosphorus in the global ocean. *Scientific Data*. 1:1–7.
- Matear, R. J., & Elliott, B. (2004). Enhancement of oceanic uptake of anthropogenic CO₂ by macronutrient fertilization. *Journal of Geophysical Research C: Oceans*, 109:1–14.
- Matear, R. J., & Elliott, B. (2004). Enhancement of oceanic uptake of anthropogenic CO₂ by macronutrient fertilization. *Journal of Geophysical Research C: Oceans*, 109:1–14.
- McClain, C. R. (2009) A decade of satellite ocean color observations. *Annu. Rev. Mar. Sci.* 1:19–42.
- McQuatters-Gollop, A. et al. (2007) A long-term chlorophyll dataset reveals regime shift in North Sea phytoplankton biomass unconnected to nutrient levels. *Limnol. Oceanogr.* 52:635–648.
- McQuatters-Gollop, A. et al. (2011) Is there a decline in marine phytoplankton? *Nature* 472: E6–E7.
- Menschel, E. et al. Coastal-oceanic distribution gradient of coccolithophores and their role in the carbonate flux of the upwelling system off Concepción, Chile (36°S). *J. Plankton Res.* (2016) 38:798–817.
- Mission, G. (1999). WWF's marine police: saving Sulu Sea (http://gina.ph/CyberDyaryo/features/cd1999_0930_005.htm)

- Moore, C. M. et al. (2013). Processes and patterns of oceanic nutrient limitation. *Nature Geoscience*, 6:701–710.
- Moore, J. K. et al (2002) Iron cycling and nutrient-limitation patterns in surface waters of the World Ocean. *Deep-Sea Research II* 49:463–507.
- Moran, M et al (2016) Deciphering ocean carbon in a changing world. *PNAS* 113: 3143–3151.85.
- Moran, X; Ducklow, H; Erickson, M (2013). "Carbon fluxes through estuarine bacteria reflect coupling with phytoplankton". *Marine Ecology Progress Series*. 489:75–85.
- Moreira, D., & Pires, J. C. M. (2016). Atmospheric CO₂ capture by algae: Negative carbon dioxide emission path. *Bioresource Technology*, 215:371–379.
- N'Yeurt, A. D. R. et al (2012). Negative carbon via ocean afforestation. *Process Safety and Environmental Protection*, 90:467–474.
- Nanninga, H. J. and Tyrrell, T.(1996) Importance of light for the formation of algal blooms by *Emiliana huxleyi*, *Mar. Ecol.-Prog. Ser.*, 136:195–203.
- NASA (2000) New Coccolithophore Bloom in Bering Sea. NASA Earth Observatory.
- Nat. Geo. Soc. <https://www.nationalgeographic.org/encyclopedia/ocean-gyre/>
- National Academies of Sciences Engineering Medicine. Negative Emissions Technologies and Reliable Sequestration. The National Academies Press. 368 pages, 2018.
- O'Brien, C.J. (2016) Global coccolithophore diversity: Drivers and future change. *Progress in Oceanography* 140:27–42.
- Oeste, F.D. (2017). Climate engineering by mimicking natural dust climate control: the iron salt aerosol method. *Earth System Dynamics*. 8:1–54.
- Ogawa, H., and E. Tanoue. (2003). Dissolved organic matter in oceanic waters. *J. Oceanography* 59:129-147.
- Ogawa, H., Y. Amagai, I. Koike, K. Kaiser, and R. Benner. (2001). Production of refractory dissolved organic matter by bacteria. *Science* 292:917–920.
- Okada, H. and Honjo, S. (1973) The distribution of oceanic coccolithophorids in the Pacific Deep Sea Research and Oceanographic Abstracts 20:355-364.
- Olgun N.; et al. (2011). Surface Ocean Iron Fertilization: The role of airborne volcanic ash from subduction zone and hot spot volcanoes and related iron fluxes into the Pacific Ocean. *Global Biogeochemical Cycles*. 25:40010.
- Olgun, N; et al, (2013). Geochemical evidence of oceanic iron fertilization by the Kasatochi volcanic eruption in 2008 and the potential impacts on Pacific sockeye salmon. *Marine Ecology Progress Series*. 488:81–88.
- Olgun, N. et al. (2013). "Geochemical evidence of oceanic iron fertilization by the Kasatochi volcanic eruption in 2008 and the potential impacts on Pacific sockeye salmon. *Marine Ecology Progress Series*. 488:81–88.
- Olson MB, Strom SL (2002) Phytoplankton growth, microzooplankton herbivory and community structure in the southeast Bering Sea: insight into a formation and persistence of an *Emiliana huxleyi* bloom. *Deep-Sea Res* 1149:5969-5990

- ONC (2012) "Technology" Ocean Nourishment Corporation.
- Oschlies, A. et al (2017). Indicators and metrics for the assessment of climate engineering. *Earth's Future*, 5:49–58.
- Osman, M.B. et al (2019) Industrial era decline in subarctic Atlantic productivity. *Nature* 569:551–555.
- Pacific upwelling". *Nature*. 391 (6664): 270–273. Bibcode:1998
- Padfield, D. et al. (2016) Rapid evolution of metabolic traits explains thermal adaptation in phytoplankton. *Ecology Letters*, 19:133–142
- Palanques, A. et al. (2002). Downward particle fluxes and sediment accumulation rates in the western Bransfield Strait: implications of lateral transport for carbon cycle studies in Antarctic marginal seas. *J. Mar. Res.* 60:347–365.
- Parsons, T. R. and Whitney, F. A. (2012). Did volcanic ash from Mt. Kasatoshi in 2008 contribute to a phenomenal increase in Fraser River sockeye salmon (*Oncorhynchus nerka*) in 2010?. *Fisheries Oceanography*. 21:374–377.
- Parsons, T.R. and Lalli, C.M. (2002). Jellyfish Population Explosions: Revisiting a Hypothesis of Possible Causes. *La Mer*. 40:111–121.
- Paulmier, A. (2005) Zones de Minimum d'Oxygène (OMZs) de l'océan moderne. Une étude focalisée dans le Pacifique Sud Est Ph.D. Thesis, Université Curie, Paris, France, 248pp.
- Paulmier, A. and Ruiz-Pino, D. (2008) Oxygen minimum zones (OMZs) in the modern ocean. *Progress in Oceanography* doi:10.1016/j.pocean.2008.08.001
- Paulmier, A. et al (2006) Maintaining of the East South Pacific oxygen minimum zone (OMZ) off Chile. *Geophysical Research Letter* 33:L20601.
- Paulmiera, A. and Ruiz-Pino, D. (2009) Oxygen minimum zones (OMZs) in the modern ocean. *Progress in Oceanography* (in press).
- Paytan, A. and McLaughlin, K. (2007). The Oceanic Phosphorus Cycle. *Chemical Reviews* 2007 107:563–576
- Pedler BE, Aluwihare LI, Azam F (2014) Single bacterial strain capable of significant contribution to carbon cycling in the surface ocean. *Proc Natl Acad Sci USA* 111:7202–7207.
- Pennisi, E. (2020) Tropical forests store carbon despite warming. *Science* 368:813.
- Pereira, R., & Yarish, C. (2008). Mass Production of Marine Macroalgae. In *Encyclopedia of Ecology* (pp. 2236–2247). Elsevier.
- Perrot, L. et al. (2016) Seasonal and interannual variability of coccolithophore blooms in the North East-Atlantic Ocean from a 18-year time-series of satellite water-leaving radiance. *Ocean Sci.* 21 April 2016
- Pohlman, J.W. (2017) Enhanced CO₂ uptake at a shallow Arctic Ocean seep field overwhelms the positive warming potential of emitted methane. *PNAS* 114:5355–5360
- Poloczanska, E. S. et al. (2013). Global imprint of climate change on marine life. *Nat. Clim. Change* 3:919–925.
- Polovina, J. et al (2008) Ocean's least productive waters are expanding. *Geophys. Res. Lett.* 35.

- Powell, H. (2008) Fertilizing the Ocean with Iron. *Oceanus Magazine* 46:1-9
- Radford, T. (2014). Desert Dust Feeds Deep Ocean Life. *Scientific American*. July 16
- Raitsos, D. E., et al (2005) Extending the SeaWiFS chlorophyll data set back 50 years in the northeast Atlantic. *Geophys. Res. Lett.* 32:L06603.
- Raven, J. A. (2017). The possible roles of algae in restricting the increase in atmospheric CO₂ and global temperature. *European Journal of Phycology*, 52:506–522.
- Raven, J. A., and P. G. Falkowski. (1999). Oceanic sinks for atmospheric CO₂. *Plant Cell Environ.* 22:741–755.
- Reed, D. C. et al (2015) Patterns and controls of reef-scale production of dissolved organic carbon by giant kelp *Macrocystis pyrifera*. *Limnol. Oceanogr.* 60:1996–2008.
- Rees, A. P., Law, C. S., & Woodward, E. M. S. (2006). High rates of nitrogen fixation during an in-situ phosphate release experiment in the Eastern Mediterranean Sea. *Geophysical Research Letters*, 33: 2–5.
- Reid, P. C. (1998) Phytoplankton change in the North Atlantic. *Nature* 391:546.
- Reid, P. C., et al (2003) The Continuous Plankton Recorder: concepts and history, from plankton indicator to undulating recorders. *Prog. Oceanogr.* 58:117–173.
- Renaud, P. E. et al (2015) Macroalgal detritus and food-web subsidies along an Arctic fjord depth gradient. *Front. Mar. Sci.* 2:31
- Revelle, R; Suess, H (1957). "Carbon dioxide exchange between atmosphere and ocean and the question of an increase of atmospheric CO₂ during the past decades". *Tellus.* 9:18–27.
- Rhamstorf, S. et al (2015) Evidence for an exceptional 20th Century slowdown in Atlantic Ocean Overturning. *Nature Climate Change.* 5:475-480.
- Richards, F.A. (1965) Anoxic basins and fjords. In: Ripley, J.P., Skirrow, G. (Eds.), *Chemical Oceanography*. Academic Press, London and New York, pp. 611–645.
- Riebesell U, et al. (2000) Reduced calcification of marine plankton in response to increased atmospheric CO₂. *Nature* 407:364–367.
- Riebesell, U. et al (2011) Pelagic mesocosms in Guide to best practices for ocean acidification research and data reporting. 95-112.
- Riebesell, U., et al. (2007). Enhanced biological carbon consumption in a high CO₂ ocean. *Nature* 450:545–548.
- Riegman R, Stolte W, Noordeloos AAM, Slezak D (2000) Nutrient uptake and alkaline phosphatase (EC 3:1:3:1) activity of *Emiliania huxleyi* (Prymnesiophyceae) during growth under N and P limitation in continuous cultures. *J Phycol* 36:87-96
- Ritschard R.L. (1992) Marine algae as a CO₂ sink. *Water Air Soil Pollut.* 64:289–303
- Rivero-Calle, S. et al, (2015). Multidecadal increase in North Atlantic coccolithophores and the potential role of rising CO₂. *Science* 350:1533-1537.
- Roberts, T., & Upham, P. (2012). Prospects for the use of macro-algae for fuel in Ireland and the UK: An overview of marine management issues. *Marine Policy*, 36:1047–1053.

- Rost, B. & Riebesell, U. (2004). Coccolithophores and the biological pump: responses to environmental changes and the biological pump: responses to environmental changes. In Coccolithophores: From molecular processes to global impact. Thierstein, H.R. and Young, J. (eds) Springer 95-125.
- Rothman, D.H. et al (2014) Methanogenic burst in the end-Permian carbon cycle. PNAS 111:5462-5467.
- Rousseaux, C. S. & Gregg, W. W. (2015) Recent decadal trends in global phytoplankton composition. Global Biogeochem. Cycles 29:1674–1688.
- Rowe, G. T. & Staresinic, N. (1979). Sources of organic matter to the deep-sea benthos. Ambio Special Report 1:19–23
- Rykaczewski, R. R. & Dunne, J. P. (2011) A measured look at ocean chlorophyll trends. Nature 472: E5–E6
- Ryther, J. H. & Yentsch, C. S. (1957) The estimation of phytoplankton production in the ocean from chlorophyll and light data. Limnol. Oceanogr. 2:281–286.
- Ryther, J.H., DeBusk, T.A., Blakeslee, T.A. (1984) Cultivation and Conversion of Marine Macroalgae. Final Subcontract Report. Solar Energy Research Institute, Golden CO. Contract No. DE-AC02-83CH10093 Biomass Energy Technology Division of the U.S. Department of Energy.
- Saavedra-Pellitero, M. et al (2010). Coccolith distribution patterns in surface sediments of Equatorial and Southeastern Pacific Ocean. Geobios 43:131–149.
- Sabine, C.L. Ocean Sink for Anthropogenic CO₂. Science 305:367, 2004.
- Salleh, A. (2007). Urea 'climate solution' may backfire. [ABC.net.au](#). Nov,
- Sarmiento, J. L., & Orr, J. C. (1991). Three-Dimensional simulations of the impact of Southern-Ocean nutrient depletion on atmospheric CO₂ and ocean chemistry. Limnology and Oceanography, 36:1928–1950.
- Sciandra A, et al. (2003) Response of coccolithophorid *Emiliana huxleyi* to elevated partial pressure of CO₂ under nitrogen limitation. Mar Ecol Prog Ser 261:111–122.
- Segovia M, Lorenzo MR, Maldonado MT, Larsen A and others (2017) Iron availability modulates the effects of future CO₂ levels within the marine planktonic food web. Mar Ecol Prog Ser 565:17-33.
- Shaffer, G. and Lambert, F. (2018). In and out of glacial extremes by way of dust–climate feedbacks. PNAS 115: 2026–2031.
- Shi D, Xu Y, Morel FMM (2009) Effects of the pH/pCO₂ control method on medium chemistry and phytoplankton growth. Biogeosciences 6:1199–1207.
- Shi, D., Xu, Y. & Morel, F. M. M.(2009) Effects of the pH/pCO₂ control method on medium chemistry and phytoplankton growth Biogeosciences 6:1199–1207.
- Shindell, G. (2009). Improved Attribution of Climate Forcing to Emissions. Science. 326:716–718.
- Silver, M. W. et al. (2010). Toxic diatoms and domoic acid in natural and iron enriched waters of the oceanic Pacific. Proceedings of the National Academy of Sciences, 107:20762–20767.
- Smale, D. A., et al (2013) Threats and knowledge gaps for ecosystem services provided by kelp forests: a northeast Atlantic perspective. Ecol. Evol. 3:4016–4038.

- Smetacek, V. (2012) Deep carbon export from a Southern Ocean iron-fertilized diatom bloom. *Nature*. 487:313–319.
- Smetacek, V. S. (1985). Role of sinking in diatom life-history cycles: ecological, evolutionary and geological significance. *Maine Biology* 84:239-251.
- Smetacek, V. et al (2012). Deep carbon export from a Southern Ocean iron-fertilized diatom bloom. *Nature*, 487:313–319.
- Smith, H.E.K. et al. (2012) Predominance of heavily calcified coccolithophores at low CaCO₃ saturation during winter in the Bay of Biscay. *PNAS* 109:8845-8849.
- Smith, S. V. (1981) Marine macrophytes as a global carbon sink. *Science* 211:838–840.
- Smith, S.V. et al (1981). Kaneohe Bay sewage diversion experiment: perspectives on ecosystem responses to nutritional perturbation. *Pacific Science*. 35:279–395.
- Sollai, M. et al (2015). Intact polar lipids of Thaumarchaeota and anammox bacteria as indicators of N cycling in the eastern tropical North Pacific oxygen-deficient zone. *Biogeosciences* 12:4725–4737.
- Sondak, C. F. A., et al (2017). Carbon dioxide mitigation potential of seaweed aquaculture beds (SABs). *Journal of Applied Phycology*, 29:2363–2373.
- Speer, L. (2008) Fertilizing the Ocean with Iron. *Oceanus Magazine* 46:(1)
- Stokstad, E. (2019) Bioenergy not a climate cure-all, panel warns. *Science* 365:257-258.
- Strong, A. et al. (2009). Ocean fertilization: time to move on. *Nature*. 461:347–348.
- Sullivan, M.J.P. et al (2020) Long-term thermal sensitivity of Earth's tropical forests. *Science* 368: 869–874
- Sunagawa S, et al.(2015) Ocean plankton. Structure and function of the global ocean microbiome. *Science* 348:1261359.
- Sundra, W. G. and Huntsman, S.A. (1995). Iron uptake and growth limitation in oceanic and coastal phytoplankton. *Mar. Chem.* 50:189–206.
- Supraha L, Ljubešić Z, Mihanović H, Henderiks J. (2016). Coccolithophore life-cycle dynamics in a coastal Mediterranean ecosystem: seasonality and species-specific patterns. *J. Plankton Res.* 38:1178–93
- Suttle CA (2007) Marine viruses—Major players in the global ecosystem. *Nat Rev Microbiol* 5:801–812.
- Takahashi, T. et al.(2009) Climatological mean and decadal change in surface ocean pCO₂, and net sea-air CO₂ flux over the global oceans. *Deep Sea Research Part II: Topical Studies in Oceanography*. 56: 554–577.
- Tegen, I., Fung, I.Y., (1994). Modeling of mineral dust in the atmosphere: sources, transport, and optical thickness. *Journal of Geophysical Research* 99: 22 897–914.
- Tegen, I., Fung, I.Y., (1995). Contribution to the atmospheric mineral aerosol load from land surface modifications. *Journal of Geophysical Research* 100:18707–18726.
- Thierstein, R. and Young, J.R.(eds) (2004) Coccolithophores: From Molecular Processes to Global Impact. Springer. 2004.

- Thingstad, T. F. (2005). Nature of Phosphorus Limitation in the Ultraoligotrophic Eastern Mediterranean. *Science*, 309:1068-1071.
- Thompson, R.L. et al (2019). Acceleration of global N₂O emissions seen from two decades of atmospheric inversion. *Nature Climate Change* 9:993–998.
- Tollefson, J. (2012). Ocean-fertilization project off Canada sparks furor. *Nature*. 490: 458–459.
- Treguer, P. et al. (2018) Influence of diatom diversity on the ocean biological pump. *Nature Geoscience* 11:27-37.
- Trevathan-Tackett, S. M. et al. (2015) Comparison of marine macrophytes for their contributions to blue carbon sequestration. *Ecology* 96:3043–3057.
- Trick, C. G et al (2010). Iron enrichment stimulates toxic diatom production in high-nitrate, low-chlorophyll areas. *PNAS* 107: 5887–5892.
- Trick, C. G. et al (2010). Iron enrichment stimulates toxic diatom production in high-nitrate , low-chlorophyll areas. *PNAS* 107:5887–5892.
- Tricka, C. G. et al (2010). Iron enrichment stimulates toxic diatom production in high-nitrate, low-chlorophyll areas. *PNAS*. 107:5887–5892.
- Troell, M. et al (2009). Ecological engineering in aquaculture — Potential for integrated multi-trophic aquaculture (IMTA) in marine offshore systems. *Aquaculture*, 297:1–9.
- Turkoglu, M. (2016) Bloom Dynamics of *Emiliana Huxleyi* (Lohmann) Hay & Mohler, 1967 in the Sea of Marmara: A Review. DOI:10.5772/62907.
- Tyrrell T, Taylor AH (1995) Latitudinal and Seasonal-Variations in Carbon-Dioxide and Oxygen in the Northeast Atlantic and the Effects on *Emiliana Huxleyi* and Other Phytoplankton. *Global Biogeochem Cycles* 9:585-604
- Tyrrell, T. (1999) The relative influences of nitrogen and phosphorus on oceanic primary production. *Nature* 400:525–531.
- Tyrrell, T. and Merico, A.: *Emiliana huxleyi*: Bloom observations and the conditions that induce them, 75–97, in: Coccolithophores from molecular processes to global impact, edited by: Thierstein, H. R. and Young, J. R., Springer, New York, 2004.
- U of Sydney Press Release (2013) Iron fertilization sunk as an ocean carbon storage solution (<http://sydney.edu.au/news/84.html?newsstoryid=10740>)
- UNFAO (2006) Livestock a major threat to environment. United Nations Food and Agriculture Organization. November 29, 2006.
- van der Heijden, L. H. & Kamenos, N. A. (2015) Reviews and syntheses: calculating the global contribution of coralline algae to carbon burial. *Biogeosciences* 12:6429–6441
- Ward, B. B. 2000. Nitrification and the marine nitrogen cycle, p. 427–454.
- Watson, A. et al. (1991). Design of a small-scale in situ iron fertilization experiment. *Limnol. Oceanogr.* 36:1960-1965.
- Watson, A.J. (1997). Volcanic iron, CO₂, ocean productivity and climate. *Nature* 385: 587–588.
- Watson, J.H. et al. (1994) Minimal effect of iron fertilization on sea-surface carbon dioxide concentrations. *Nature* 371:143-145.

Weber, T. et al (2019) Global ocean methane emissions dominated by shallow coastal waters. *Nature Communications* 10:4584.

Wernberg, T. et al, (2011) Seaweed communities in retreat from ocean warming. *Curr. Biol.* 21:1828–1832.

Wikipedia 2020 The Marine Carbon Cycle

Wikipedia 2020, Gyres

Wikipedia 2020, Upwelling

Wingenter, O. W. et al(2004). Changing concentrations of CO, CH₄, C₅H₈, CH₃Br, CH₃I, and dimethyl sulfide during the Southern Ocean Iron Enrichment Experiments. *PNAS.* 101:8537–8541.

Wolff, T. (1962) The systematics and biology of bathyal and abyssal Isopoda Aselotta. *Galathea Rep.* 6:1–320.

Wood, D. (2017). UK macroalgae aquaculture: What are the key environmental and licensing considerations? *Marine Policy*, 83(August 2016), 29–39.

Yoon, J-E.; Kim, I-N; Macdonald, A.M. (2018) The past, present, and future of artificial ocean iron fertilization experiments. *Biogeosciences*, 15:5847–5889.

Young JR. (1994). Functions of coccoliths. In *Coccolithophores*, ed. A Winter, WG Siesser, pp. 63–82. Cambridge, UK: Cambridge Univ. Press.

Young, E. (2007). Can 'fertilising' the ocean combat climate change?

Young, E. (2007). Can 'fertilizing' the ocean combat climate change?

Zeebe, R; Wolf-Gladrow, D (2001). CO₂ in seawater: Equilibrium, Kinetics, Isotopes. Elsevier Science.

Zondervan I, Rost B, Riebesell U (2002) Effect of CO₂ concentration on the PIC/POC ratio in the coccolithophore *Emiliana huxleyi* grown under light-limiting conditions and different daylengths. *J Exp Mar Biol Ecol* 272:55–70.